



- Multi-directional mounting capability & 360° design. Use base down, base up or base sideways without affecting performance.
- Pretested & potted drivers are burnt in 3x prior to shipping and protected against vibration & moisture.
- Lamps dim to 50-70% by adjusting the wattage switch on the side of the lamp.
- Field adjustable light output.

**SUPERFLEX** SWITCH BETWEEN 3 WATTAGES & 3 CCTS















| PART #                 | UPC          | REPLACES    | WATTAGE                        | VOLTAGE  | LUMENS      | CCT                                | BASE     | DLC CODES |
|------------------------|--------------|-------------|--------------------------------|----------|-------------|------------------------------------|----------|-----------|
| LED-8029E345-A-FW      | 84400606067  | UP TO 150W  | FLEXWATT<br>12W/18W/24W        | 120-277V | 1550-3360   | FLEXCOLOR<br>3000K/4000K/<br>5000K | E26      | N/A       |
| LED-8029M345-A-FW      | 84400606068  |             |                                |          |             |                                    | EX39     | PVPFGTKS  |
| LED-8024E345-G7-FW     | 844006060718 | UP TO 320W  | FLEXWATT<br>35W/45W/60W        | 277-480V | 5140-8870   |                                    | E26      | N/A       |
| LED-8024M345-G7-FW     | 844006060725 |             |                                |          |             |                                    | EX39     | PE8R4NVO  |
| LED-8024M345-G7-FW-HV* | 197810029977 |             |                                |          |             |                                    | EX39     | PENDING   |
| LED-8027M345-G7-FW     | 844006060756 | UP TO 400W  | FLEXWATT<br>80W/100W/<br>110W  | 120-277V | 11370-15730 |                                    | EX39     | PMXF5D5C  |
| LED-8027M345-G7-FW-HV  | 844006077129 |             |                                | 277-480V |             |                                    | EX39     | S-IESFDP  |
| LED-8075M345-FW        | 197810016526 | UP TO 750W  | FLEXWATT<br>150W/200W/<br>270W | 120-277V | 21700-39000 |                                    | EX39     | S-5ZV7XV  |
| LED-8075M345-FW-HV     | 197810016533 |             |                                | 277-480V |             |                                    | EX39     | S-NZM9KT  |
| LED-8000M345-FW-MV     | 197810016540 | UP TO 1000W | FLEXWATT<br>300W/360W/<br>450W | 208-347V | 50100-73300 |                                    | EX39     | S-NTFVQ   |
| LED-8000M345-FW-HV     | 197810016557 |             |                                | 277-480V |             | EX39                               | S-3DM41B |           |

\* LED-8024M345-G7-FW-HV AVAILABLE LATE 2025





**🇨🇦 347 VOLT OPTIONS FOR CANADA 🇨🇦**

| PART #              | UPC          | REPLACES       | WATTAGE        | LUMENS      | FLEXCOLOR             | BASE | DLC CODES |
|---------------------|--------------|----------------|----------------|-------------|-----------------------|------|-----------|
| LED-8029E345C-A-FW  | 84400606069  | 70W-100W-150W  | 12W-18W-24W    | 1550-3360   | 3000K/4000K/<br>5000K | E26  | N/A       |
| LED-8029M345C-A-FW  | 84400606070  | 70W-100W-150W  | 12W-18W-24W    | 1550-3360   |                       | EX39 | P55Z8FTK  |
| LED-8024E345C-G7-FW | 844006060732 | 175W-250W-320W | 35W-45W-60W    | 5140-8870   |                       | E26  | N/A       |
| LED-8024M345C-G7-FW | 844006060749 | 175W-250W-320W | 35W-45W-60W    | 5140-8870   |                       | EX39 | P17WDCCW  |
| LED-8027M345C-G7-FW | 844006060763 | 320W-400W      | 80W-100W-110W  | 11370-15730 |                       | EX39 | POIALL6T  |
| LED-8000M345-FW-MV  | 197810016540 | UP TO 1000W    | 300W-360W-450W | 50100-73300 |                       | EX39 | S-NTFFVQ  |

**LUMENS**

**LED-8029**

| WATTAGE | CCT   | LUMENS |
|---------|-------|--------|
| 12W     | 3000K | 1550   |
| 12W     | 4000K | 1610   |
| 12W     | 5000K | 1650   |
| 18W     | 3000K | 2450   |
| 18W     | 4000K | 2560   |
| 18W     | 5000K | 2610   |
| 24W     | 3000K | 3170   |
| 24W     | 4000K | 3330   |
| 24W     | 5000K | 3360   |

**LED-8024**

| WATTAGE | CCT   | LUMENS |
|---------|-------|--------|
| 35W     | 3000K | 5140   |
| 35W     | 4000K | 5290   |
| 35W     | 5000K | 5360   |
| 45W     | 3000K | 6200   |
| 45W     | 4000K | 6510   |
| 45W     | 5000K | 6620   |
| 60W     | 3000K | 8440   |
| 60W     | 4000K | 8790   |
| 60W     | 5000K | 8870   |

**LED-8027**

| WATTAGE | CCT   | LUMENS |
|---------|-------|--------|
| 80W     | 3000K | 10780  |
| 80W     | 4000K | 11290  |
| 80W     | 5000K | 11370  |
| 100W    | 3000K | 13800  |
| 100W    | 4000K | 14270  |
| 100W    | 5000K | 14350  |
| 110W    | 3000K | 15080  |
| 110W    | 4000K | 15690  |
| 110W    | 5000K | 15730  |

**LED-8075**

| WATTAGE | CCT   | LUMENS |
|---------|-------|--------|
| 150W    | 3000K | 21700  |
| 150W    | 4000K | 22700  |
| 150W    | 5000K | 22900  |
| 200W    | 3000K | 29300  |
| 200W    | 4000K | 30700  |
| 200W    | 5000K | 30900  |
| 270W    | 3000K | 36900  |
| 270W    | 4000K | 38800  |
| 270W    | 5000K | 39000  |

**LED-8000**

| WATTAGE | CCT   | LUMENS |
|---------|-------|--------|
| 300W    | 3000K | 50100  |
| 300W    | 4000K | 52200  |
| 300W    | 5000K | 52400  |
| 360W    | 3000K | 57800  |
| 360W    | 4000K | 60100  |
| 360W    | 5000K | 60300  |
| 450W    | 3000K | 69700  |
| 450W    | 4000K | 73100  |
| 450W    | 5000K | 73300  |

