



PRODUCT DATASHEET

LED 8.5W FR 5000K 4PK

SYLVANIA Contractor Series A19/A21 Lamps | SYLVANIA Contractor Series are rated for up to 11,000 hours



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Suitable for rough service

Product features

- Reduces energy consumption up to 86 %
- 11,000 hours lifetime (L70)
- No warm-up time, instant-on with full light output and stable color



TECHNICAL DATA

Additional product data

Base	E26
Mercury content	0.0 mg
Mercury-free	Yes
Ordering Abbreviation	LED8.5A19F85010YVRP4
Abbrev. With Packaging Info.	LED8.5A19F85010YVRP4 24/CS 4/SKU
UPC Code	0046135792847
NAED	79284
Family Brand Name	10YV
General Description	LED A19, 8.5W 80CRI, 800 Lumen, 5000K, 11000 Life, E26 Medium Base, FROSTED Finish

Electrical data

Nominal Wattage	8.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	60 W
Supply Frequency	50...60 Hz

Photometrical data

Lumens	800 lm
Efficacy	94
Light color (designation)	Daylight
Color Temperature/CCT	5000 K
Color Rendering Index (CRI)	80
Light color	850

Dimensions & Weight

Overall length	110.01 mm
Diameter	59.99 mm
Product weight	50.00 g

Materials & Colors

Lamp Finish	Frosted
Bulb	A19
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	No
---------	----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	11000
-------------------------	-------

Capabilities

Dimming	No
---------	----

Certificates & Standards

Certification Listing	RoHS / CSA / FTC / FCC / cETLus
-----------------------	---------------------------------

Country-specific categorizations

Order reference	8,5W/850 120V 6
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	110.01 mm
Height	59.99 mm
Width	59.99 mm

Safety advice

- Suitable for damp locations.
- Non-dimmable.
- -4°F and +104°F (-20°C and +40°C)
- Approved for use in totally enclosed fixtures.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Contractor Series LED A19 Lamps
Photometric and lighting design files		Document name
	IES file (IES)	LED A19, 8.5W 80CRI, 800 Lumen, 5000K IE FILES

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.