

Project:	Туре:
Prepared By:	Date:

Technical Specifications

Performance

Product Type:

Decorative

Input Wattage:

3W

Wattage Equivalency:

40W Incandescent

Lumens (Nominal):

350lm

Efficacy:

92lm/W

L70 Lifespan:

15,000 Hours

Construction

Bulb Shape:

ST19

Finish:

Clear

Base Type:

E26 Edison

For Use Outdoors in Open Fixtures:

Yes

LED Characteristics

Color Temperature:

2700K Soft White

Color Accuracy (CRI):

90 CRI

Electrical

Power Factor:

0.7

Operating Temperature:

-20°C to 45°C (-4°F to 113°F)

Dimmable:

Yes, down to 10%

Input Voltage:

120V

Flicker:

<30%

Optical

Beam Angle:

360°

Other

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Compliance

UL Listed:

Yes

Energy Star Approved:

This product is ENERGY STAR® Version 2.0 Certified

Energy Star ID:


2330353


California Energy Commission (CEC) Status:

Lawful for Sales in California

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)		
CASE	8	11.4	5.8	6		
PALLET	768	46.3	35.4	39.5		





Features

PREMIUM, FULL GLASS DESIGN - Mimics traditional bulbs

90 CRI - Produces rich and vibrant colors.

15,000-HOUR LIFESPAN - Lasts up to 13.7 years at 3 hours per day

ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures

OMNIDIRECTIONAL Light output

WET RATED - Suitable for wet locations

Family		Wattage		Base Type		CRI/Color Temp		Type		Finish
ST19	-	3	-	E26	-	927	-	F	-	С
		3 = 3W 5 = 5W		E26 = E26		927 = 90 CRI, 2700K		F = Filament		C = Clear